30 inch Induction Range, 4 Heating Zones, Electric Self-Clean Oven

Professional Series



PROF304INSART

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

This all-new induction range has 4 high-power heating zones with maximum power output of 3700W. The right-side heating zones can be bridged to create a larger cooking area. Each induction area is controlled with knobs and has a convenient read-out interface on the glass worktop.

The 4.6 cubic feet oven cavity is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital temperature gauge monitors the actual temperature in the oven and has integrated controls in the bezel for the food temperature probe. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The oven includes convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

Specifications

Features		
Worktop		
Size	30 in	
Cooking zones	4	
Induction zones	4	
Worktop type	induction	
Worktop design	stainless steel squared	
Worktop controls	knobs	
Knobs	metal coated	
Backguard	yes	
Cooking zones		
Front left	(Ø 5.75 in) 1400 W - 2200 W	
Back left	(Ø 8.25 in) 2300 W - 3700 W	
Front right	Bridge 2100 W - 3700 W	
Back right	Bridge 2100 W - 3700 W	
Oven cavity		
Oven configuration	single	
Oven fuel	electric	
Oven type	self-clean	
Oven functions	bake / broil / convection / convection	on bake / convection broil / defrosting / dehy
Oven volume	4.6 ft³	
Oven convection system	dual diagonal with heating element	
Inner oven door	triple	
Removable inner glass	yes	
Oven levels	7	
Food probe	yes	
Door hinge	soft-motion	
Sliding shelves	1 standard	
Wire-shelves	2 heavy gauge chromed	

1 enamelled	
yes	
double lateral	
stainless steel	
120/240 V 60 Hz - 13 000W 40 A	/ 120/208 V 60 Hz - 11 700W 40 A
	yes double lateral stainless steel

Dimensions

