

# FULGOR

## MILANO

600 Series 30" Induction Range

F6PIR304S1



### Series

Size  
Main Colour  
Logo  
Stainless Steel Aesthetics

600  
FULL ELECTRIC  
30"  
SS  
•  
Professional

### Cooktop

#### Type

Cooking Surface  
Knobs

#### INDUCTION

Ceramic Glass  
•

#### Induction Special Features

Pot Detection System  
Child lock function  
Cooling fan system  
Failure Codes indication

•  
•  
•  
•

#### Induction Control Features

Knob for power setting (illuminated)  
Power levels  
Digital display for power level indication  
Melting Function 113°F / 45°C (inside the pot 108°F / 42°C)  
Warming Function 158°F / 70°C (inside the pot 149°F / 65°C)  
Booster/Fast boil function for each zone  
Heat up time automatic  
Residual heat indication

•  
1 to 9  
•  
•  
•  
•  
•  
•

#### Cooking Zones

4

#### Front Left

Inductor 9" (230mm)

Power L9  
Booster

2300W  
3700W

#### Rear Left

Inductor 6" ½ (165mm)

Power L9  
Booster

1400W  
2200W

#### Front Middle

Power L9  
Booster

#### Rear Middle

Power L9  
Booster

#### Front Right

Inductor 7" ¾ (200mm)

Power L9  
Booster

1850W  
3000W

#### Rear Right

Inductor 7" ¾ (200mm)














Power L9  
Booster

1850W  
3000W

# FULGOR

## MILANO

### Oven

<b>Type</b>		<b>ELECTRIC PIRO</b>
Oven Type		Multifunction 2 Fans (True Euro Convection)
Temperature Regulation		Electronic
<b>Functions</b>		
Pyrolitic Self-Clean with automatic door latch		•
True European Convection Bake (Multi level)		•
Convection Broil		•
Convection Roast		•
Pizza (Lower Convection)		•
Bake		•
Broil		•
Dehydrate		•
Thaw (Defrost)		•
Proof (Warm)		•
Keep warm (Warm Plus)		•
Oven Lights		•
Fast Preheat		•
<b>Control Panel</b>		
Control type		HAWK3TC - Electronic
Clock Display		White LED
Temperature Display		White LED
Function Display		White LED
Commands		6 Heavy Duty Knobs / 6 Touch Keys
Language		English / French / Spanish
<b>Electric Oven Features</b>		
Preset/Last used temperature memory		•
Preheat bar (25%, 50%, 75%, 100%)		•
Automatic Fast Preheat		•
Child Door Lock		•
Commands Lock		•
Sabbath mode		•
12/24 hour clock format		•
°C/°F		•
<b>Oven Door(s)</b>		
Oven Glass Window		Deep Embossed Window
Door Cooling System		4 Pane Heat Resistant Glass
soft closing system		•
Door Hinges		Heavy Duty Steady Tilt
Handle Style		Stainless Steel Tube d30mm, Pro Style
<b>Oven Cavity</b>		
Gross Capacity (cuft)		4.4
Usable Capacity (cuft)		4.1
Cavity Enamel Colour		Black
Rack Positions		6
Oven Lights		3x20W Halogen
<b>Heating Element</b>		
Broil Upper Heating Element		3500 W (240V)
Upper Auxiliary Element Wattage		1032W (240V)
Concealed Bake Lower Heating Element		3000 W (240V)
Convection Element Wattage		2x1300 W (240V)
<b>Oven Accessories</b>		
Chromed racks		2
Enameled Grill set ( basin + anti splash )		1
Telescopic chromed rack		1
Meat probe		1
<b>Dimensions</b>		
Overall dim - width		29 3/4" (758mm)

# FULGOR

## MILANO

Height min/max 36 3/8" (925mm) / 38 1/2" (977mm)  
Overall dim - depth 29 3/4" (756mm)

### Power / Ratings (208/240 V, 60 Hz)

KW/Amps rating at 120-240V, 60Hz 11kW - 45.8A  
KW/Amps rating at 120-208V, 60Hz 10kW - 48.5A  
Cable + Plug Nema 14-50P

### INSTRUCTIONS FOR USE

Use & Care Manual EN, SP, FR  
Installation Manual EN, SP, FR