Dishwasher

DBI565TXXLS

50 series
Noise level (max): 40 dB(A)
Number of place settings: 16 pcs
Number of racks: 3
Size: XXL
Turbo Combi Drying™ ensures dry dishes with fan assisted evacuation of moisture in combination with Auto Door Opening
ADA Compliant: No
Installation: Built under work top
Stainless steel

Most Efficient 2025 ENERGY STAR www.energystar.gov

ENERGY GUIDE Click for this product's energy information

Construction and performance
- 8 Steel™ - Vital parts of the dishwasher made in stainless steel: Yes
- No need to rinse the dishes thanks to Super Cleaning System™: Yes
- Automatic water-softener for better washing performance: No
- Number of spray arms: 3 pcs
- Number of spray zones: 9
- Cleaning systems: Cutlery Spray™ - Extra dishwashing power for the cutlery basket, No need to rinse the dishes thanks to Super Cleaning System™, Aqua Level™ Sensor, Sensi Clean™ Sensor - measures dirtiness level, Stainless steel spray arms, Adjustable power zones that can be set for cleaning Pots & Pans or Bottles & Vases. Can also be turned off., The water pressure is adapted depending on program, type of dishes and dirtiness level.
- Exterior handle: T-Bar

Use and flexibility
- Number of place settings: 16 pcs
- Number of racks: 3
- Top tray: Easy height adjustment, With telescopic rails, Handle, Removable, Guide rails with ball bearings
- Upper basket type: Exclusive - Nylon coated steel baskets, all tines rows are foldable, divisble/foldable wine shelves, Light Lock™ for fastening lightweight items
- Upper basket system: Easy height adjustable with lever
- Upper basket: Dividable pin rows, Wine glass fixings in TPE, Sliding tines for easy adaptation to stone ware etc., Perfect ergonomy with easy sliding telescopic rails, Light Lock™ for fastening lightweight items, China Guard - Protects fragile load from the rotating spray arm, Extra wide knife stand, Two foldable glass supports, Divisble/foldable wine shelves to left, Foldable wine shelves to right, Handle with ASKO logo, Small distance between the basket threads - makes loading easy and prevents small items to fall through
- Middle basket: Without middle basket
- Lower basket type: Exclusive
- Lower basket: Sliding tines for easy adaptation to stone ware etc., Cutlery basket, Vase/bottle holder for cleaning vases/baby bottles, Foldable/divisible front tine row, Foldable/divisible rear tine row, Handle with ASKO logo, Small distance between the basket threads - makes loading easy and prevents small items to fall through.
- Automatic dosing system: No
- Interior light: Yes, 2 LED lights

Interaction and control
- Wifi: Yes
- Type of display: LCD display
- Status Light™ - Visual indication of dishwashing progress: Yes, spot on floor
- Remaining time indicator: Yes
- End wash indicator: Displayed with sound and light

• Language settings: Chinese simpified, Chinese traditional, Swedish, Slovenian, Slovak, Russian, Portuguese, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech, Ukrainian

Functions, programs and modes
• Programs: Anti odour, Sanitize, Self cleaning, Quick Pro wash, Rinse and hold program, Time program, Standard, Auto wash, Intensive program
• Main wash temperature (°C): 55/60/65/70
• Delayed start: Possible to delay up to 24 hours
• Options and modes: Heat Boost Mode, Sensor controlled door opening - Optimizes the drying process according to the room temperature, Night mode - Lower noise level. The program time is extended., Speed mode - The program time is shortened. More energy is used., Green mode - Less energy and water is used. The program time is extended, Time set, Super Rinse™ - Two extra rinses, Enable/disable automatic door opening, Light sabbath mode

Design and integration
• From the front adjustable door spring: No
• Rear leg is adjustable from the front: Yes
• Installation: Multi fit outlet hose, Integrated anti-siphon - Safely keeps the water inside the machine especially important if the dishwasher is placed above floor level., Trim kit, Steam protection strip
• Sliding door: No
• Possible to install elevated: Yes
• Min. niche width: 609 mm
• Min. niche height: 870 mm
• Depth (incl. wall spacing): 555 mm
• Max Height adjustment: 53 mm
• Adjustable kick plate: 30-94/0

Safety and maintenance
• Aqua Safe™: Anti Block™ - Self cleaning drain pump, Light and sound alarm, Maximum time for water intake, Extra durable PEX inlet hose, Stand-by water protection - Leakage detection when machine is off, Aqua Level™ Sensor - Ensures an optimized water level, Aqua Detect™ - Instant recognition of any leakage in the motor compartment, Detection of water leakage on the bottom plate, Waterproof bottom plate, Extra durable stainless steel container, Sealing points outside container
• Aqua Safe™ system: Yes
• Child safety: Kid Safe™ - Lockable controls
• Rinse-aid Indicator: Notification in display

Technical data
• Water connection: Hot or cold
• Adapter for water connection: No
• Max. temperature of inflow water: 60 °C
• Noise level (max): 40 dB(A)
• Reference programme: 1
• Duration of standard programme: 125 min
• Estimated yearly energy consumption: 220 kWh
• Energy consumption - normal program: 1 kWh
• Estimated annual water consumption: 2451 l
• Water consumption: 11.4 l
• Power consumption in standby mode: 0.5 W
• Plug type: USA
• Connected load: 1300 W
• Voltage (V): 120 V
• Number of phases: 1
• Fuse: 15 A
• Frequency: 60 Hz
• Required inlet water pressure MPa: 0,03-1
• Net weight: 43.7 kg

Dimensions
• Width: 608 mm
• Height: 871 mm
• Depth: 554 mm

- Maximum product height: 924 mm
- Length of electrical cord: 1815 mm
- Depth with door open: 1231 mm
- Length inlet hose: 163 cm
- Length outlet hose: 230 cm

Logistic information
- Packaging width: 640 mm
- Packaging height: 930 mm
- Packaging depth: 680 mm
- Gross weight: 47 kg
- Product code: 740102
- EAN code: 3838782628443